

KÄRCHER

makes a difference



MOBILE CLEANING ANYWHERE, ANYTIME.

A compact, towable and maneuverable hot water pressure washer.

633 N Helena St,
Spokane, WA 99202

509.535.1555

info@northstardirect.com



1210 N Oregon Ave,
Pasco, WA 99301

509.547.2323

info@northstarhotsy.com

PROFESSIONAL | TULE SERIES HDS 3.5/40 GE MT

TULE SERIES HDS 3.5/40 GE MT



Shown with optional hose reel

Towable and maneuverable hot water pressure washer.

Ready to pick up and go at a moments notice, Kärcher's Tule Series HDS 3.5/40 Ge MT hot water pressure washer trailer provides the necessary cleaning power on virtually any job site which has a water source. Simply unhitch the Tule Series HDS 3.5/40 Ge MT and take the cleaning power where you need it most. The Tule Series trailer features a reliable Honda engine, 8 gallon diesel fuel tank, electric start with manual start backup and much more.

U.S. Design Patent No. 9,724,734 B2



1 Smart design

- Reliable Honda GX engine
- 8-gallon diesel fuel tank
- Manual parking brake
- Adjustable bracket and multiple hitch configurations for various vehicle heights
- Adjustable thermostat for regulating water temperature
- 2-inch Ball Coupler for quick and easy hook up of trailer
- EASY!Force trigger gun with cruise control like technology uses its own recoil force to hold the trigger down – so, no more sore hands after hours of use.

2 Ease of use

- Electric start with manual start backup
- Controls are located on the curb side of the trailer
- Easy to use - only 2 switches to operate the entire unit
- 12V Battery included for hot water operation

3 Mobile

- Highway rated 16" pneumatic tires
- Compact design and easy towing for on-site applications, easy to maneuver and store
- Lift handle and swing away tongue for easier hook up of the trailer and storage

Technical data and equipment.

TECHNICAL DATA									
Model	Part No.	GPM	PSI	Drive	Engine	Start	Pump	Ship Weight (lbs)	Ship Dimensions (L x W x H) Inches
HDS 3.5/40 Ge MT	1.103-844.0	3.5	4000	Direct	Honda GX390	Electric*	Kärcher KS	750	100 x 45 x 75
ACCESSORIES									
ORDER NO.	DESCRIPTION								
■ 8.756-481.0 ■	EASY!Force trigger gun (North American Model) - zero force required. Standard 1/4" connection for wand, 3/8" connection for hose.								
■ 8.756-797.0	3-5 GPM Chemical Injector Kit								
■ 8.754-990.0	12V Battery (required for hot water operation)								
■ 8.711-293.0	Zinc plated variable pressure lance								
■ 8.925-182.0	50', 3/8" hose, double-wire at 6000 PSI								
OPTIONS (FACTORY INSTALLED)									
ORDER NO.	DESCRIPTION								
<input type="checkbox"/> 8.924-367.0	2-5/16" Ball Coupler								
<input type="checkbox"/> 8.924-667.0	Lifting Kit								
<input type="checkbox"/> 8.924-370.0	LED Lights								
<input type="checkbox"/> 8.924-700.0	2-inch Collar Lock Coupler								
OPTIONS (FIELD INSTALLED)									
ORDER NO.	DESCRIPTION								
<input type="checkbox"/> 8.750-682.0	Hose Reel Fixed 100', 5000 PSI, 3250 F, equipped for 3/8" hose								
<input type="checkbox"/> 8.925-255.0	Hose Reel Bracket (Mount Kit)								

Please contact us for more information:

Kärcher U.S.A.

6398 N. Kärcher Way
Aurora, CO 80019
U.S.A.

Phone 888-805-9852
Fax 800-248-8409

www.karcher.com/us

Kärcher Canada

275 Pendant Drive
Mississauga, ON L5T 2W9
Canada

Phone 888-705-9444
Fax 905-672-3155

www.karcher.ca



633 N Helena St, Spokane, WA 99202
509.535.1555 | info@northstardirect.com

1210 N Oregon Ave, Pasco, WA 99301
509.547.2323 | info@northstarhotsy.com