

KÄRCHER



THE NEXT GENERATION OF SUPERIOR CLEANING.

These easy-to-use extractors are sturdy, ergonomic and require minimal operator training.

PROFESSIONAL | ADMIRAL™ X & ADMIRAL™ XL CARPET EXTRACTORS



EFFORTLESS CLEANING AT YOUR FINGERTIPS, CLEAN WITH EASE AND PRECISION IN ANY SPACE!

Admiral™ X & Admiral™ XL carpet extractors, are the ultimate choice for tackling a variety of carpeted areas with ease. These extractors are designed to enhance performance, boost productivity, and reduce costs. With their robust and ergonomic design, they provide a more operator-friendly experience, reducing fatigue and improving overall efficiency. The SmartSpeed™ feature ensures consistent and efficient cleaning every time, with visual feedback on the recommended extraction speed. This helps conserve resources, simplifies operator training, and maintains the quality and appearance of your carpets. Our extractors also offer a low moisture application, reducing dry times for faster turnaround, perfect for Hospitality, Education, Healthcare, and Community spaces. Experience their power and transform your carpet cleaning routine today.



1 Real world practicality

- Clear vac shoe and recovery sight windows provide visual feedback to operator
- 18" cleaning path for efficient and thorough cleaning
- Eco! Mode low moisture setting allows flexibility for interim cleaning in lieu of deep extraction, providing faster dry time

2 Easy-to-use

- Tool-free brush and vac shoe removal for easy maintenance
- Convenient fingertip controls for operator comfort

3 Get consistent results with SmartSpeed™ and Easy Dial

- Our patented SmartSpeed™ feature provides the operator visual feedback, ensuring consistent cleaning results
- Operator use and training time are reduced with the Kärcher Easy Dial mode of operation

4 Ergonomics

- Robust adjustable handle accommodates operators of different heights
- Low center of gravity allows superior maneuverability and ergonomic design reduces operator fatigue

Technical data and equipment.



	Admiral™ X BRC 40/34 C	Admiral™ XL BRC 45/45 C
TECHNICAL SPECIFICATIONS		
Cleaning path/width	16 in	18 in
Solution/recovery capacity	9/8 gal	12/11 gal
Practical productivity - restorative/low moisture	2,450 ft ² per hr	3,200 ft ² per hr
Operating noise level - std/Eco! mode	68 dBA	68 dBA
Power cord length	50 ft	50 ft
Vacuum	1.5 hp, 3 stage	1.5 hp, 3 stage
Water lift	120 in	120 in
Pump pressure - restorative/interim	90 psi	90 psi
Flow rate - restorative/interim	0.7/0.3 gpm	0.8/0.3 gpm
Weight	108 lbs	126 lbs
Dimensions (L x W x H)	33" x 19" x 42.5"	33" x 22" x 45"

EQUIPMENT

Order No.	Description
1.008-160.0	Admiral™ X BRC 40/34 C
1.008-161.0	Admiral™ XL BRC 45/45 C

ACCESSORIES

Order No.	Description
■ 8.623-411.0	Yellow Power Cord, 50 feet long

■ Included □ Optional

⚠ WARNING: This product can expose you to chemicals including Lead and Diisononyl Phthalate, which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Please contact us for more information:

Kärcher U.S.A.

6398 N. Kärcher Way
Aurora, CO 80019
U.S.A.

Tel. 888-805-9852
Fax 800-248-8409



www.karcher.com/us/professional



KarcherUSA



@kaercher_us_professional



karchercommercial



karcher-us



KarcherUSA



633 N Helena St. Spokane, WA 99202
(509) 535-1555 | info@northstardirect.com

1210 N Oregon Ave. Pasco, WA 99301
(509) 547-2323 | info@northstarhotsy.com