

HDS Heater



Hot water heater for attaching to a cold water pressure washer

Our Kärcher Series water heater provides supplemental heat to cold water machines, giving users the benefits of hot water cleaning when it's needed. An electric-powered diesel heated unit, the Heater 5.0/30 Ed effectively heats water at a rate of up to 5 gallons per minute.



1 Powerful and durable

- High-efficiency burner with transformer for years of reliable and affordable operation; produces 380,000 BTU.
- Rust-free, 4.5 gallon polyethylene fuel tank for diesel or heating oil.
- Rugged 1 1/4-inch steel tube frame and ventilated metal cabinet with epoxy, powder coat finish for all-weather protection.
- Durable, wire braid hose rated for 4500 PSI and with quick coupler allows for tangle-free connection to cold water pressure washer.

2 Smart features

- Water resistant control box with adjustable thermostat and extra safe on/ off rocker switch for the burner.
- Corrosion-free steel fittings.
- 36 ft. electrical cord with ground fault circuit interrupter for operator safety.

3 Outstanding mobility

- Easy-grip handles and hand truck design make for easy maneuvering.
- 10" tubed pneumatic tires for easy handling on all terrains or surfaces.

Technical data and equipment.

TECHNICAL DATA								
Model	Part No.	GPM	PSI	Electrical	Amps	Heated by	Weight (lbs.)	Dimensions (L x W x H) inches
Heater 5.0/30 Ed	1.575-650.0	to 5	up to 3000	120V / 1ph	5	Diesel	330	29 x 41 x 47

Please contact us for more information:

Kärcher U.S.A.

6398 N. Kärcher Way Aurora, CO 80019 U.S.A.

Tel. 888-805-9852 Fax 800-248-8409



KarcherUSA

@kaercher_us_professional

karchercommercial

in karcher-us

KarcherUSA



633 N Helena St. Spokane, WA 99202 (509) 535-1555 | info@northstardirect.com

1210 N Oregon Ave. Pasco, WA 99301 (509) 547-2323 | info@northstarhotsy.com