

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 8/31/2022 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form Product code	: Mixture : 1921LAN
1.2. Recommended use and restrictions o	
Use of the substance/mixture	: Cleansing product
1.3. Supplier	
KARCHER NORTH AMERICA 6398 N Karcher Way Aurora, 80019 United States T 303-738-2400 info@karcherna.com	
1.4. Emergency telephone number	
Emergency number	: 800-535-5053 For Chemical Emergency Call INFOTRAC 24hr/day 7days/week Within USA and Canada: 1-800-535-5053 Outside USA and Canada: 1-352-323-3500 (collect calls accepted)
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or mix	ture
2.1. Classification of the substance or mix GHS US classification	ture
	H319 Causes serious eye irritation
GHS US classification Serious eye damage/eye irritation Category 2	H319 Causes serious eye irritation
GHS US classification Serious eye damage/eye irritation Category 2 Full text of H statements : see section 16	H319 Causes serious eye irritation
GHS US classification Serious eye damage/eye irritation Category 2 Full text of H statements : see section 16 2.2. GHS Label elements, including precate GHS US labeling	H319 Causes serious eye irritation
GHS US classification Serious eye damage/eye irritation Category 2 Full text of H statements : see section 16 2.2. GHS Label elements, including precat GHS US labeling Hazard pictograms (GHS US) Signal word (GHS US) Hazard statements (GHS US)	H319 Causes serious eye irritation utionary statements : isotopic : isotopic : Isotopic : isotopic : isotopic : 1:319 : Varning : 1:319 :319 :319

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures		
Name	Product identifier	%
BUTOXYDIGLYCOL	CAS-No.: 112-34-5	5 – 10
LOW FOAM NONIONIC SURFACTANT	CAS-No.: PROPRIETARY	1 – 5
SODIUM XYLENE SULFONATE	CAS-No.: 1300-72-7	1 – 5

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures		
First-aid measures after skin contact	Remove person to fresh air and keep comfortable for breathing. Wash skin with plenty of water. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
First-aid measures after ingestion	Call a poison center/doctor/physician if you feel unwell.	
4.2. Most important symptoms and effects (acute and delayed)		
Symptoms/effects after eye contact	Eye irritation.	
4.3. Immediate medical attention and special treatment, if necessary		
Treat symptomatically.		

SECTION 5: Fire-fighting measures		
5.1. Suitable (and unsuitable) extinguishing	g media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.	
5.2. Specific hazards arising from the chemical		
Hazardous decomposition products in case of fire	: Toxic fumes may be released.	
5.3. Special protective equipment and precautions for fire-fighters		
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equip	ment and emergency procedures	
6.1.1. For non-emergency personnel Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes.	
6.1.2. For emergency responders Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions		
Avoid release to the environment.		
6.3. Methods and material for containment	and cleaning up	
Methods for cleaning up Other information	Take up liquid spill into absorbent material.Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		
For further information refer to section 13.		
SECTION 7: Handling and storage		

7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2 Conditions for safe storage includ	ling any incompatibilities

Storage conditions

: Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

NEUTRAL FLOOR CLEANER		
No additional information available		
LOW FOAM NONIONIC SURFACTANT (PROPRIETARY)		
No additional information available		
SODIUM XYLENE SULFONATE (1300-72-7)		
No additional information available		
BUTOXYDIGLYCOL (112-34-5)		
USA - ACGIH - Occupational Exposure Limits		
Local name	Diethylene glycol monobutyl ether	
ACGIH OEL TWA [ppm]	10 ppm (Inhalable fraction and vapor)	
Remark (ACGIH)	TLV® Basis: Hematologic, liver & kidney eff	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

BUTOXYDIGLYCOL (112-34-5)		
Regulatory reference	ACGIH 2019	
8.2. Appropriate engineering controls		
	Ensure good ventilation of the work station. Avoid release to the environment.	
8.3. Individual protection measures/Personal protective equipment		
Hand protection:		
Protective gloves		
Eye protection:		
Safety glasses		
Skin and body protection:		
Wear suitable protective clothing		
Respiratory protection:		
In case of insufficient ventilation, wear suitable respiratory equipment		

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties

Physical state	: Liquid
Color	: Yellow
Odor	: Mild
Odor threshold	: No data available
рН	: 7.8
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity (dermal) :	Not classified Not classified Not classified	
SODIUM XYLENE SULFONATE (1300-72-7)		
LD50 oral rat	> 7000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Read-across, Oral, 14 day(s))	
LD50 dermal rabbit	> 2000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Read-across, Dermal, 14 day(s))	
BUTOXYDIGLYCOL (112-34-5)		
LD50 dermal rabbit	2764 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Male, Experimental value, Dermal, 14 day(s))	
ATE US (oral)	2410 mg/kg body weight	
ATE US (dermal)	2764 mg/kg body weight	
Skin corrosion/irritation :	Not classified	
Serious eye damage/irritation :	Causes serious eye irritation.	
Respiratory or skin sensitization :	Not classified	
Germ cell mutagenicity :	Not classified	
Carcinogenicity :	Not classified	
Reproductive toxicity :	Not classified	
STOT-single exposure :	Not classified	
STOT-repeated exposure :	Not classified	

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

BUTOXYDIGLYCOL (112-34-5)		
NOAEL (oral,rat,90 days)	250 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents), Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: EPA OPPTS 870.3100 (90 Day Oral Toxicity in Rodents)	
Aspiration hazard Viscosity, kinematic Symptoms/effects after eye contact	 Not classified No data available Eve irritation. 	

SECTION 12: Ecological information

12.1. Toxicity Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment. SODIUM XYLENE SULFONATE (1300-72-7) LC50 - Fish [1] > 1000 mg/l (EPA OTS 797.1400, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value) EC50 - Crustacea [1] > 1000 mg/l (EPA OTS 797.1300, 48 h, Daphnia magna, Static system, Fresh water, Experimental value) **BUTOXYDIGLYCOL (112-34-5)** LC50 - Fish [1] 1300 mg/l (Equivalent or similar to OECD 203, 96 h, Lepomis macrochirus, Static system, Fresh water, Experimental value, Lethal) EC50 - Crustacea [1] > 100 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect) ErC50 algae > 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 96 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)

12.2. Persistence and degradability

SODIUM XYLENE SULFONATE (1300-72-7)	
Persistence and degradability	Readily biodegradable in water.
BUTOXYDIGLYCOL (112-34-5)	
Persistence and degradability	Readily biodegradable in water.
	•

12.3. Bioaccumulative potential

SODIUM XYLENE SULFONATE (1300-72-7)	
Partition coefficient n-octanol/water (Log Pow) -3.12 (Experimental value, EU Method A.8: Partition Coefficient, 20 °C)	
Bioaccumulative potential Not bioaccumulative.	
BUTOXYDIGLYCOL (112-34-5)	
Partition coefficient n-octanol/water (Log Pow)	1 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 20 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.4. Mobility in soil	
SODIUM XYLENE SULFONATE (1300-72-7)	
Surface tension	71 mN/m (20 °C, 90 %, EU Method A.5: Surface tension)
Ecology - soil	No (test)data on mobility of the substance available.
BUTOXYDIGLYCOL (112-34-5)	
Surface tension	27 mN/m (25 °C, 0.00212 mol/g)
Ecology - soil	Highly mobile in soil.
12.5. Other adverse effects	

No additional information available

SECTION 13: Disposal considerations	
13.1. Disposal methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
SECTION 14: Transport information	

SECTION 14: Transport Information	
14.1. UN number	
Not regulated for transport	
14.2. UN proper shipping name	
Proper Shipping Name (DOT)	: Not applicable
14.3. Transport hazard class(es)	
DOT Transport hazard class(es) (DOT)	: Not applicable
14.4. Packing group	
Packing group (DOT)	: Not applicable
14.5. Environmental hazards	
Other information	: No supplementary information available.
14.6. Special precautions for user	
DOT	

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

15.2. International regulations

CANADA

SODIUM XYLENE SULFONATE (1300-72-7)

Listed on the Canadian DSL (Domestic Substances List)

В	UTOXY	DIGLYCOL	(112-34-5)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

MARNING:

This product can expose you to ETHYLENE OXIDE, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases	
H319	Causes serious eye irritation

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.