

**KÄRCHER**



## **BATTERY OPERATED RIDE-ON SCRUBBER FOR LARGE AREAS.**


Suited for large cleaning applications.

**PROFESSIONAL** | B 110 R BP



# Highly reliable and compact ride-on scrubber.

The ride-on B 75/110 R Bp scrubber is the most updated and compact scrubber in our product line-up. With outstanding suction performance including an all-new aluminum, die cast squeegee, you'll have less moisture left behind. Big bumper wheels on the brand-new die cast brush head will help keep corners and walls free of unwanted marks. This also means easier maintenance and operation. With speed-dependent water supply, you'll save water and detergents for when you need them most.



## **1 All-new features**

- Front bumper and driving lights
- Hill driving assistant
- Automatic electronic brake

## **2 Simple to operate and easy to maintain**

- Everything is controlled by one easy-to-use panel
- Cylindrical brushes save water and detergent.
- The brush heads are easy to replace and do not require tools

## **3 Long operation time and comfort for users**

- Large battery capacity
- Adjustable comfort seat for more comfortable long shifts

# Technical data and equipment.



		<b>B 110 D75 R BP</b>	<b>B 110 R75 R BP</b>	<b>B 110 R75 R BP + SIDE BROOM</b>	<b>B 110 R75 R BP + OBC</b>
<b>TECHNICAL SPECIFICATIONS</b>					
Cleaning path/ width	in	30	30	30	30
Brush type	cylindrical/disc	Disc	Cylindrical	Cylindrical/Disc	Cylindrical
Brush quantity	units	2	2	3	2
Brush diameter	in	15	15	4/15	4
Suction bar (squeegee) width	in	37	37	37	37
Drive	pad-assist/traction	Traction	Traction	Traction	Traction
Solution/ Recovery capacity	Gal	29/29	29/29	29/29	29/29
Theoretical / practical productivity	sq. ft/h	48,438 / 31,485	48,438 / 31,485	53,820 / 38,750	48,438 / 31,485
Operating noise level	dba	59-74	59-74	59-74	59-74
Battery Charger	shelf/ on board	Shelf	Shelf	Shelf	On board charger
Brush Contact Pressure	lbs	165	165	165	165
Brush Speed	rpm	180	180	1200	1200
Drive/ Vac Motor rating	watts	600	600	600	600
Vac motor suction	cfm	53	53	53	53
Waterlift	in of water	68	68	68	68
Weight with batteries	lbs	986	755	1,010	1,001
Dimensions (L X W X H)	in	65 x 30 x 52	65 x 30 x 52	67 x 38 x 52	65 x 30 x 52
Minimum turning radius	ft	2.87	2.87	2.87	2.87
Climbing Ability - maximum slope	% grade	10	10	10	10
Max. working speed	mph	3.8	3.8	3.8	3.8

## EQUIPMENT

Order No.	Description
1.161-451.0	B 110 D75 R Bp 255Ah AGM, 30-inch disc scrub deck
1.161-453.0	B 110 R75 R Bp 255Ah AGM, 30-inch cylindrical scrub deck
1.161-455.0	B 110 R75 R Bp 255Ah AGM, 30-inch cylindrical scrub deck, with side-broom
1.161-457.0	B 110 R75 R Bp 255Ah AGM, 30-inch cylindrical scrub deck, on-board charger

## ACCESSORIES

Order No.	Description
■ 4.778-007.0	950 mm parabolic squeegee
■ 2.763-005.0	D 75 scrub deck (depending on model selected)
■ 2.763-047.0	R 75 scrub deck (depending on model selected)
■ 4.039-366.0	Linatex squeegee blade set
■ 8.644-917.0	Right side scrub deck kit (depending on model selected)
■ 8.632-254.0	Discover EVGT6A-A 255 Ah battery (depending on model selected)
■ 8.643-374.0	Shelf charger for AGM batteries (depending on model selected)
■ 5.035-344.0	KIK key, yellow
■ 5.035-348.0	KIK key, grey
□ 4.035-605.0	Red brush for R 75 scrub deck
□ 6.907-731.0	Green brush for R 75 scrub deck
□ 6.907-732.0	Black brush for R 75 scrub deck
□ 6.907-730.0	Orange brush for R 75 scrub deck
□ 6.907-729.0	White brush for R 75 scrub deck
□ 4.039-357.0	Polyurethane replacement squeegee blade
□ 4.039-350.0	Warning beacon kit
□ 4.035-406.0	Set Homebase Box
□ 4.039-349.0	Mop Home Base Attachment Kit
□ 2.644-214.0	KEM Machine Connect B 110 R *NA

Please contact us for more information:

**Kärcher U.S.A.**

6398 N. Kärcher Way  
Aurora, CO 80019  
U.S.A.

Phone 888-805-9852

[www.karcher.com/us](http://www.karcher.com/us)

Rev. 04/2025 · B372 · Rights to technical modifications reserved.



633 N Helena St. Spokane, WA 99202  
(509) 535-1555 | [info@northstardirect.com](mailto:info@northstardirect.com)

---

1210 N Oregon Ave. Pasco, WA 99301  
(509) 547-2323 | [info@northstarhotsy.com](mailto:info@northstarhotsy.com)